

BANDING & BANDING TOOLS

BANDING

Type 201 stainless steel has superior yield and tensile strength properties to provide maximum clamping strength. All Band sizes feature fully rounded smooth edges for safety and easy installation. For clamps of even greater strength, use a double wrap, threading the **MARATHON** Buckle each time around.

BANDING TOOL

A drop forged tool with tensioning capability of over 2,400 lbs. and a built-in cutter.

- Spring loaded gripper lever for improved band tensioning
- Friction held cutoff lever with plastic grip for easier operation
- Permanent lubrication on the tension screw to extend tool life and speed clamping
- Zinc plated black chromate finish to provide superior corrosion resistance
- Spin handle retaining ring to keep parts intact. The **MARATHON** Tool is used to apply Bands and Buckles.

Part Number	Description	U/M	Std. Pkg. Qty.	Pkg. Wt. (lbs)
MAR402	Heavy Duty Banding Tool	EA	1	4.3
MAR001	1/4"-3/4" Banding Tool	EA	1	4.3
MAR203	3/8" Type 201 SS Band	Roll	100'/Roll	3.2
MAR204	1/2" Type 201 SS Band	Roll	100'/Roll	5.1
MAR205	5/8" Type 201 SS Band	Roll	100'/Roll	6.4
MAR206	3/4" Type 201 SS Band	Roll	100'/Roll	7.7
MAR404	1/2" Type 316 SS Band	Roll	100'/Roll	5.1
MAR405	5/8" Type 316 SS Band	Roll	100'/Roll	6.4
MAR430	3/4" Type 201 Heavy Duty SS Band	Roll	100'/Roll	11.6
MAR431	1" Type 201 Heavy Duty SS Band	Roll	100'/Roll	13.7
MAR432	1-1/4" Type 201 Heavy Duty SS Band	Roll	100'/Roll	17.2

Notes: Type 201 Banding thickness is .030" thick. Heavy Duty Type 201 SS Banding is .044" thick.



BUCKLES

MARATHON Buckles in Type 201 stainless steel are designed to accommodate both single and double wrap applications. The unique teeth and ears provide for maximum clamping strength.

Part Number	Description	U/M	Std. Pkg. Qty.	Pkg. Wt. (lbs)
MAR253	3/8" Type 201 SS Buckle	EA	100/Box	1
MAR254	1/2" Type 201 SS Buckle	EA	100/Box	2.3
MAR255	5/8" Type 201 SS Buckle	EA	100/Box	2.5
MAR256	3/4" Type 201 SS Buckle	EA	100/Box	4
MAR440	3/4" Heavy Duty Type 201/301 SS Buckle	EA	25/Box	1.6
MAR441	1" Heavy Duty SS Buckle	EA	25/Box	2.4
MAR442	1-1/4" SS Buckle	EA	25/Box	3.2

Notes: Type 201 Banding thickness is .030" thick. Heavy Duty Type 201 SS Banding is .044" thick.



BOLT, CLAMPS AND PLATES

BOLTS/CLAMPS

- Aluminum extruded housing with plated carriage bolt, nut and washer.

PLATES

- Aluminum extruded plate with 5/8" x 2" (50.8mm) plated bolt and nut
- Available in two different sizes
- Band slot width 1.375" to accommodate a single or double wrap of our 1-1/4" wide x .044 thick Band.

Part Number	Description	U/M	Std. Pkg. Qty.	Pkg. Wt. (lbs)
MAR500	Bolt & Clamp for 3/4" Band	EA	50	24
MAR504	Bolt & Clamp for 1-1/2" Band	EA	25	33
MAR510	Mounting Plate, 1-1/2" X 4-3/4"	EA	25	16
MAR512	Mounting Plate, 1-1/2" X 5-1/4"	EA	25	22

